





♦NIBE

NIBE F2050-10 + VVM S330



Supplier's name:	NIBE AB		
Model:	NIBE F2050-10		
Temperature application	35	55	°C
Declared load profile for water	VI		
heating	XL		
Seasonal space heating energy	A I I I	A I I	
efficiency class, average climate:	A+++	A++	
Water heating energy efficiency			
class, average climate:	Α		
	6,3	6,5	kW
Rated heat output, average climate:	0,5	0,0	KVV
Annual energy consumption for	2834	3961	kWh
space heating, average climate		0001	
Annual electricity consumption for	1627		kWh
water heating, average climate			KVVII
Seasonal space heating energy	181	132	%
efficiency, average climate:	101	102	
Water heating energy efficiency,	103		%
average climate:			
Sound power level LWA indoors	35		dB
Rated heat output, cold climate:	6,5	6,2	kW
Rated heat output, warm climate:	6,8	6,6	kW
Annual energy consumption for	4059	5204	kWh
space heating, cold climate			
Annual electricity consumption for	2030		kWh
water heating, cold climate			
Annual energy consumption for	1379	1964	kWh
space heating, warm climate	1070	1004	
Annual electricity consumption for	1336		kWh
water heating, warm climate			
Seasonal space heating energy	155	114	%
efficiency, cold climate:	100	117	70
Water heating energy efficiency, cold	82		%
climate:			70
Seasonal space heating energy	260	177	%
efficiency, warm climate:	200	111	70
Water heating energy efficiency,	125		%
warm climate:			
Sound power level LWA outdoors	53		dB

Data for package fiche

Controller class	CLASS VI		
Controler contribution to efficiency	4,0		%
Seasonal space heating energy efficiency of package, average climate:	185	136	%
Seasonal space heating energy efficiency class for package, average climate:	A+++	A++	%
Seasonal space heating energy efficiency of package, cold climate:	159	118	%
Seasonal space heating energy efficiency of package, warm climate:	264	181	%

Doc. Number_Compliance file: DOC_0004491