

A-weighted sound power level in accordance with ISO 5136:2009

dB(A) re. 1pW

		Min ¹	Nomin-al ²	High ³	Max ⁴
Exhaust air duct	L _{W(A)}	43.4	46.4	52.6	56.3
Extract air duct	L _{W(A)}	51.8	52.0	65.3	72.7
Supply air duct	L _{W(A)}	53.2	54.6	66.6	73.5
Outdoor air duct	L _{W(A)}	45.3	51.3	53.1	61.5

- 1 35 l/s (126 m³/h) at 100 Pa
- 2 55 l/s (200 m³/h) at 150 Pa
- 3 111 l/s (400 m³/h) at 200 Pa
- 4 167 l/s (600 m³/h) at 250 Pa


A-weighted sound pressure level according with ISO 3744

dB(A) @1 m

		Min ¹	Nomin-al ²	High ³	Max ⁴
Product	L _{P(A)}	37.2	36.6	48.0	53.7


ERS 30

Sound pressure level
 (L_p dB(A) @1 m)




Exhaust air duct

Sound power level
(dB(A) re. 1pW)




Extract air duct

Sound power level
(dB(A) re. 1pW)



Supply air duct

Sound power level
(dB(A) re. 1pW)



Outdoor air duct

Sound power level

(dB(A) re. 1pW)

