**** * * * *	ЕПЕРСИЯ · ЕVЕРУЯ					
NIBE F1355-28						
	55 °C	35 °C				
A*** A** A* A B C D	A+++	A+++				
(((dB	28 28 28 kW	28 28 28 kW				
2019		811/2013				



ENERG (У ЈА енергия · ενεργεια [] [] []

NIBE

NIBE F1355-28



Supplier's name:	NI		
Model:	NIBE F1355-28		
Temperature application	35	55	°C
Declared load profile for water			
heating			
Seasonal space heating energy	A+++	A+++	
efficiency class, average climate:			
Water heating energy efficiency			
class, average climate:			
Rated heat output, average climate:	28	28	kW
Annual energy consumption for	11528	14621	kWh
space heating, average climate	11020	14021	
Annual electricity consumption for			kWh
water heating, average climate		-	
Seasonal space heating energy	198	155	%
efficiency, average climate:	100	100	70
Water heating energy efficiency,			%
average climate:			
Sound power level LWA indoors	47		dB
Rated heat output, cold climate:	28	28	kW
Rated heat output, warm climate:	28	28	kW
Annual energy consumption for	12907	16450	kWh
space heating, cold climate	12907	10450	K V V I I
Annual electricity consumption for			kWh
water heating, cold climate		1	
Annual energy consumption for	7237	9062	kWh
space heating, warm climate			
Annual electricity consumption for water heating, warm climate			kWh
Seasonal space heating energy			
efficiency, cold climate:	211	165	%
Water heating energy efficiency, cold			
climate:			%
Seasonal space heating energy	00.4	400	<u> </u>
efficiency, warm climate:	204	162	%
Water heating energy efficiency,		•	0/
warm climate:			%
Sound power level LWA outdoors		-	dB

Data for package fiche

Controller class			
Controler contribution to efficiency		%	
Seasonal space heating energy efficiency of package, average climate:	200	157	%
Seasonal space heating energy efficiency class for package, average climate:	A+++	A+++	%
Seasonal space heating energy efficiency of package, cold climate:	213	167	%
Seasonal space heating energy efficiency of package, warm climate:	206	164	%

Model(s):			NIB	E F1355-28			
Type of heat source/sink:			Brir	ne-to-water			
Low-temperature heat pump: Equipped with supplementary heater: Heat pump combination heater: Climate condition:				No			
				No		RF	
				No			
				Average			
Temperature application:			Medium temperature (55 °C)				
Applied standards: EN14825, EN 14511 a	nd EN12102	2					
				Seasonal space heating energy	,		
Rated heat output	Prated	28,0	kW	efficiency	η _s	155	%
Declared capacity for part load at outdoor tem	nerature Ti			Declared coefficient of performance f	or part load at outdo	or temperatu	re Ti
Ti = -7 °C	Pdh	25,0	kW	Ti = -7 °C	COPd	3,1	kW
Tj = +2 °C	Pdh	15,3	kW	Tj = +2 °C	COPd	3,9	kW
Ti = +7 °C	Pdh	9,7	kW	Tj = +7 °C	COPd	4,6	kW
Tj = +12 °C	Pdh	4,3	kW	Tj = +12 °C	COPd	5,3	kW
Ti = biv	Pdh	28,0	kW	Tj = biv	COPd	2,8	kW
Tj = TOL	Pdh	28,0	kW	Tj = TOL	COPd	2,8	kW
Tj = -15 °C (if TOL < -20 °C)	Pdh	_==/=	kW	Tj = -15 °C (if TOL < -20 °C)	COPd	_/-	kW
			-				
Bivalent temperature	T _{biv}	-10	°C	Operation limit temperature	TOL	-10	°C
Cycling interval capacity for heating	Pcych		kW	Cycling interval efficiency	COPcyc		-
Degradation co-efficient	Cdh	0,99	-	Heating water operating limit	WTOL	65	°C
Power consumption in modes other than active		0.007	104/	Supplementary heater	Devue	0.0	kW
Off mode	P _{OFF}	0,007	kW	Rated heat output	Psup	0,0	KVV
Thermostat-off mode	P _{TO}	0,035	kW				
Standby mode	P _{SB}	0,019	kW	Type of energy input Electric			
Crankcase heater mode	P _{CK}	0,025	kW				
Other items							
Capacity control		variable		Rated air flow rate, outdoors			m³/h
				Rated water flow rate, indoor h	neat		
Sound power level, indoors/outdoors	L _{WA}	47/-	dB	exchanger			m³/h
				Rated brine or water flow rate,			
Annual energy consumption	Q _{HE}	14621	kWh	outdoor heat exchanger		3,40	m³/h
For heat pump combination heater:							
Declared load profile				Water heating energy efficience	: y ղ _{wh}		%
					•		·
Daily electricity consumption	Q _{elec}		kWh	Daily fuel consumption	Q _{fuel}		kWh
Annual electricity consumption	AEC		kWh	Annual fuel consumption	AFC		GJ
Approved by:	1						
Contact details	© NIBE E	nergy Syste	ems - Box	14 - Hannabadsvägen 5 - 28521	Markaryd - Swe	den	