



IJA ENERG енергия · ενεργεια




NIBE S2125-16 + SMO

























B

2015

811/2013

Supplier's name:	NIBE AB		
Model:	NIBE S2125-16		
Temperature application	35	55	°C
Declared load profile for water		-	
heating			
Seasonal space heating energy	A+++	A+++	
efficiency class, average climate:	Аттт	Аттт	
Water heating energy efficiency		-	
class, average climate:			
Rated heat output, average climate:	11,0	11,0	kW
Annual energy consumption for			
space heating, average climate	4264	5571	kWh
Annual electricity consumption for			
water heating, average climate			kWh
Seasonal space heating energy			
efficiency, average climate:	210	160	%
Water heating energy efficiency,		L	0.4
average climate:			%
Sound power level LWA indoors			dB
Rated heat output, cold climate:	13,0	14,0	kW
Rated heat output, warm climate:	13,0	13,0	kW
Annual energy consumption for	, i		kWh
space heating, cold climate	7170	9638	KVVII
Annual electricity consumption for			kWh
water heating, cold climate			KVVII
Annual energy consumption for	2903	3627	kWh
space heating, warm climate	2903	3021	KVVII
Annual electricity consumption for			kWh
water heating, warm climate			KVVII
Seasonal space heating energy	176	140	%
efficiency, cold climate:	170	140	70
Water heating energy efficiency, cold			%
climate:		1	/ / /
Seasonal space heating energy	236	189	%
efficiency, warm climate:	200	100	,,,
Water heating energy efficiency,			%
warm climate:			
Sound power level LWA outdoors	5	5	dB

Data for package fiche SMO

Controller class	CLASS VI		
Controler contribution to efficiency	4,0		%
Seasonal space heating energy efficiency of package, average climate:	214	164	%
Seasonal space heating energy efficiency class for package, average climate:	A+++	A+++	%
Seasonal space heating energy efficiency of package, cold climate:	180	144	%
Seasonal space heating energy efficiency of package, warm climate:	240	193	%

Doc. Number_Compliance file: DOC_0004088-7

Model(s):	NIBE S2125-16		
Type of heat source/sink:	Air/water		
Low-temperature heat pump:	No		
Equipped with supplementary heater:	No		
Heat pump combination heater:	No		
Climate condition:	Average		
Temperature application:	Medium temperature (55 °C)		
A 1: 1 . 1 . 5 . 4400 5 . 2022 . 5 M 4 2 4 2 2 2 2			



				8 -			
Temperature application:		Medium temperature (55 °C)					
Applied standards: EN 14825:2022, EN 121	.02-1:2022						
				Seasonal space heating energy			
Rated heat output	Prated	11,0	kW	efficiency	η_s	160	%
Declared capacity for part load at outdoor temp	perature Ti			Declared coefficient of performance for part	load at outdo	or temperatu	re Ti
Tj = -7 °C	Pdh	9,6	kW	Tj = -7 °C	COPd	2,49	1
Tj = +2 °C	Pdh	5,8	kW	Tj = +2 °C	COPd	4,07	
Tj = +7 °C	Pdh	5,1	kW	Tj = +7 °C	COPd	5,25	
Tj = +12 °C	Pdh	5,7	kW	Tj = +12 °C	COPd	6,25	
Tj = biv	Pdh	10,5	kW	Tj = biv	COPd	2,16	
Tj = TOL	Pdh	10,5	kW	Tj = TOL	COPd	2,16	
Tj = -15 °C (if TOL < -20 °C)	Pdh		kW	Tj = -15 °C (if TOL < -20 °C)	COPd		
Bivalent temperature	T _{biv}	-10	l °C	Operation limit temperature	TOL	-10	°C
Cycling interval capacity for heating	Pcych	-10	kW	Cycling interval efficiency	COPcyc	-10	
Degradation co-efficient	Cdh	0,98	KVV	Heating water operating limit	WTOL	65	°C
Degradation co-emicient	Cuii	0,36		rieating water operating mint	WIOL	03	C
Power consumption in modes other than active	mode			Supplementary heater			
Off mode	P _{OFF}	0,007	kW	Rated heat output	Psup	0,0	kW
Thermostat-off mode	P _{TO}	0,014	kW				
Standby mode	P _{SB}	0,010	kW	Type of energy input	Electric		
Crankcase heater mode	P _{CK}	0,011	kW				
Other items							
Capacity control		Variable		Rated air flow rate, outdoors		2900	m³/h
				Rated water flow rate, indoor heat			
Sound power level, indoors/outdoors	L _{wa}	-/55	dB	exchanger			m³/h
				Rated brine or water flow rate,			
Annual energy consumption	Q_{HE}	5571	kWh	outdoor heat exchanger			m³/h
For heat pump combination heater:							
Declared load profile				Water heating energy efficiency	η_{wh}		%
Daily electricity consumption	Q _{elec}		kWh	Daily fuel consumption	Q _{fuel}		kWh
Annual electricity consumption	AEC		kWh	Annual fuel consumption	AFC		GJ

© NIBE Energy Systems - Box 14 - Hannabadsvägen 5 - 28521 Markaryd - Sweden

Document number_Compliance file:

Contact details

DOC_0004088-7