



NIBE

Big performance in a compact package.

Meet NIBE S2060

NIBE S2060 is an intelligent, efficient air-to-water heat pump built to deliver dependable comfort all year round, with lower running costs and a lighter climate footprint. It uses R290, a natural refrigerant with low environmental impact, and adapts automatically to your home's needs to maximise savings season after season.

In winter, it keeps performing in temperatures down to $-25\text{ }^{\circ}\text{C}$. When higher output is needed, it can deliver a supply temperature of up to $75\text{ }^{\circ}\text{C}$. And when summer arrives, the cooling function helps keep your indoor climate comfortable even on the hottest days.

Together with an indoor unit from the S series, the system becomes connected and intelligent through **NIBE Sense**. It ensures optimised heating, cooling and hot water production, delivering consistent comfort and lower energy consumption – all automatically.



With the **myUplink** app, you have full control of your heating system wherever you are. You can monitor energy use, adjust settings and make sure your home is always tailored to your needs.

Comfort in every season

Reliable performance down to $-25\text{ }^{\circ}\text{C}$, with cooling for warmer days.

Efficient by design

Optimised SCOP and strong hot water performance for low operating costs and minimal environmental impact.

Smart control with myUplink

With the myUplink app, you can easily monitor and control your heating system.

Specifications NIBE S2060

NIBE S2060		6	10
System's efficiency class, room heating 35/55 °C ¹⁾		A+++ / A+++	
Product's efficiency class 35/55 °C ²⁾		A+++ / A+++	
SCOP Average climate 35/55 °C		5.33 / 4.19	5.07 / 4.02
P _{designh} Average climate 35/55 °C	kW	4.8 / 5.3	6.5 / 7.0
P _{designh} Cold climate 35/55 °C	kW	7.2 / 7.0	8.0 / 9.3
7/35 Heating capacity/COP, EN14511, nominal	kW	4.92 / 5.53	6.02 / 5.42
- 7/35 Heating capacity/COP, EN14511, nominal	kW	5.17 / 2.79	6.70 / 2.65
Cooling capacity/EER A35/W18, EN14511	kW	8.48 / 3.64	10.0 / 4.05
Sound power level (L _{WA}), EN12102 at 7/45, nominal	dB(A)	51	54
Rated voltage	V	230	
CO ₂ -equivalent (hermetically sealed refrigerant circuit)	kg	0.013	0.017
Height/width/depth	mm	916 / 1160 / 488	916 / 1160 / 488
Weight (excluding packaging)	kg	84	91

¹⁾ Scale for the system's efficiency class, room heating: A+++ to G. Reported system efficiency takes the product's temperature regulator into account. ²⁾ Scale for the product's efficiency class, room heating A+++ to D. ³⁾ Scale for efficiency class, hot water: A+ to F.

M13748.CIL EN NIBE S2060 2616-1
Subject to printing errors and changes. ©NIBE 2026

Comfort at home, with nature in mind.

Since 1952, NIBE has been creating energy-efficient climate solutions that work with nature, not against it. It started in Markaryd, Sweden, and our Nordic heritage still shapes how we work. We harness the power of nature, refine it with smart technology, and turn it into reliable comfort at home.

Because comfort shouldn't depend on the weather. On cold winter mornings and warm summer afternoons alike, a well-balanced indoor climate makes life better. That's why our wide range of solutions covers heating, cooling, ventilation and hot water, helping you create a home that feels right, with a lower impact on nature.



The system's efficiency class for heating 35 °C.



The system's efficiency class for heating 55 °C.