

NIBE S1157/S1257-8, 13, 18




Table of Contents

1x230 V S1157/S1257-8	4
1x230 V S1157/S1257-13	12
3x230 V S1157/S1257-8	20
3x230 V S1157/S1257-13	28
3x400 V S1157/S1257-8	36
3x400 V S1157/S1257-13	44
3x400 V S1157/S1257-18	52

NIBE S1157/S1257-8, 13, 18



6 Chapter |




NIBE S1157/S1257-8, 13, 18





1X230 V S1157/S1257-8




Dimension		Material Quality/Specification		Mass (kg)	
230V, 50Hz, ADD.4.5kW				1	
Revision note		Rev. by		Rev. Checked by	
				Rev. date (YYYY-MM-DD)	
		Checked by		Date (YYYY-MM-DD)	
		Designer			
		Status			
		Plant		Formal	
		=		Sheet No.	
		+1		Next Sheet	
				6	
				7	
				Rev	
				051327	
				10	

WIRING DIAGRAM S1X57-S
ELSCHEMA S1X57-S
SENSORS REFRIG. UNIT


NIBE

MARKARYD
SWEDEN

1X230 V S1157/S1257-8



1X230 V S1157/S1257-8




12 Chapter |



NIBE S1157/S1257-8, 13, 18




1X230 V S1157/S1257-13



NIBE S1157/S1257-8, 13, 18







NIBE S1157/S1257-8, 13, 18



1X230 V S1157/S1257-13




1X230 V S1157/S1257-13




Dimension		Material Quality/Specification		Mass (kg)	
230V 50Hz ADD.7kW		Rev by		Rev date (YY-MM-DD)	
Revision note		Checked by		Date (YYYY-MM-DD)	
NIBE MARKARYD SWEDEN	Plant	Location	Status	Drawing no	
	=	+1		051330	
	WIRING DIAGRAM S1X57-M ELSCHEMA S1X57-M DISPLAY			Sheet No	Next Sheet
			Rev		
			8		
			7		

20 Chapter |



NIBE S1157/S1257-8, 13, 18






NIBE S1157/S1257-8, 13, 18



24 Chapter |




3X230 V S1157/S1257-8



26 Chapter |



3X230 V S1157/S1257-8




28 Chapter |



NIBE S1157/S1257-8, 13, 18



3X230 V S1157/S1257-13




NIBE S1157/S1257-8, 13, 18





3X230 V S1157/S1257-13




Dimension	230V 3~ 50Hz ADD.9kW		Material Quality/Specification		Mass (kg)
Revision note			Rev. by	Rev. Checked by	Rev. date (YYYY-MM-DD)
NIBE MARKARYD SWEDEN	Plant	Location	Status	Checked by	Date (YYYY-MM-DD)
	=	+1			
	WIRING DIAGRAM S1X57-M ELSCHEMA S1X57-M SENSORS REFRIG. UNIT				Formal
					Sheet No. 6
					Next Sheet 7
				Drawing no	Rev
				051329 7	

34 Chapter |



3X230 V S1157/S1257-13



Dimension		Material Quality/Specification		Mass (kg)	
230V 3~ 50Hz ADD 9kW		Rev by		Rev date (YY-MM-DD)	
Revision note		Checked by		Date (YYYY-MM-DD)	
Plant		Location		Status	
=		+1			
NIBE		WIRING DIAGRAM S1X57-M		Formal	
MARKARYD		ELSCHEMA S1X57-M		Sheet No	
SWEDEN		DISPLAY		8	
				Next Sheet	
				Rev	
				051329	
				7	

36 Chapter |




NIBE S1157/S1257-8, 13, 18






NIBE S1157/S1257-8, 13, 18







3X400 V S1157/S1257-8



3X400 V S1157/S1257-8



3X400 V S1157/S1257-8




44 Chapter |



NIBE S1157/S1257-8, 13, 18







NIBE S1157/S1257-8, 13, 18




3X400 V S1157/S1257-13



3X400 V S1157/S1257-13



3X400 V S1157/S1257-13




52 Chapter |




NIBE S1157/S1257-8, 13, 18






NIBE S1157/S1257-8, 13, 18






3X400 V S1157/S1257-18



58 Chapter |



3X400 V S1157/S1257-18



NIBE Energy Systems
Hannabadsvägen 5
Box 14
SE-285 21 Markaryd
info@nibe.se
nibe.eu

WHB EN 2619-1 731634

This is a publication from NIBE Energy Systems. All product illustrations, facts and data are based on the available information at the time of the publication's approval.

NIBE Energy Systems accepts no liability for any factual or printing errors.

©2026 NIBE ENERGY SYSTEMS

